



LedKoning

WARM WIT PREMIUM⁺ LED STRIP

240
LEDS P/M



Warm Wit






SPECIFICATIES

Dimbaar	Ja
3M plakstrip over gehele lengte	Ja
Garantie	2 jaar
Op maat te knippen	12V: Elke 3,33cm 24V: Elke 1,67cm
Aantal LED's p/m	240
Type LED	COB
Stralingshoek	180 graden
Kleur	Warm Wit
Kleurtemperatuur (Kelvin)	2700
CRI	89.5
Lichtsterkte (lumen) p/m	901.3
Aantal branduren	50.000
Voltage (DC)	12V of 24V
Watt - vermogen p/m	11.68W
Lumen per Watt	77.15
Watt per LED	0.049W
Bescherming	IP20, IP65 of IP67
Materiaal waterdichte bescherming (IP65/IP67)	Siliconen
Achtergrond kleur strip (PCB)	Wit
Plakstrip	IP20: 3M 300LSE IP65: 3M VHB P67: 3M VHB
Breedte led strip	IP20: 8mm IP65: 10mm IP67: 10mm
Dikte led strip	IP20: 1,2mm IP65: 3,2mm IP67: 3,2mm
Aansluiting begin	5.5x2.1 DC stekker type vrouw 2-pins stekker type vrouw+man
Aansluiting einde	2-pins stekker type vrouw




TECHNISCHE TEKENINGEN


IP20 12V




IP65/67 12V



IP20 24V



IP65/67 24V



IP20




IP65



IP67



1M WARM WIT PREMIUM+ | 240 LEDS P/M



Color Parameters:

Chromaticity Coordinate: $x=0.4630$ $y=0.4175$ / $u'=0.2615$ $v'=0.5304$
 CCT=2709K (Duv=0.0022) Dominant WL:Ld =583.5nm Purity=64.3%
 Ratio:R=26.3% G=71.3% B=2.4% Peak WL:Lp=619.8nm FWHM=134.0nm
 Render Index:Ra=92.4 AvgR=89.5

R1 =92	R2 =96	R3 =99	R4 =94	R5 =93	R6 =98	R7 =90	
R8 =77	R9 =48	R10=92	R11=97	R12=88	R13=93	R14=100	R15=85

Photo Parameters:

Flux = 901.3 lm Eff. : 77.15 lm/W Fe = 3.039 W

Electrical parameters:

V = 11.998 V I = 0.9737 A P = 11.68 W PF = 1.000
 LEVEL:OUT WHITE:ANSI_2700K



CE CERTIFICAAT

KES TESTING CERTIFICATION

Certificate of Conformity

Certification No.	: KE5202206070126K
Applicant	: LedKoning
Address	: Rietveldenweg 49D 5222AP DEN BOSCH The Netherlands
Manufacturer	: LedKoning
Address	: Rietveldenweg 49D 5222AP DEN BOSCH The Netherlands
Certification	: CE-RoHS
Product Description	: COB Dot LED Strip
Model	: WWCB128-01M1266, WWCB128-01M2420, WWCB128-01M2466, WWCB128-02M1220, WWCB128-02M1266, WWCB128-02M2420, WWCB128-02M2466, WWCB128-03M1220, WWCB128-03M1266, WWCB128-03M2420, WWCB128-03M2466, WWCB128-04M1220, WWCB128-04M1266, WWCB128-04M2420, WWCB128-04M2466, WWCB128-06M1220, WWCB128-06M1266, WWCB128-06M2420, WWCB128-06M2466, WWCB240-01M1220, WWOD240-01M1206, WWOD240-01M2420, WWOD240-01M2466, WWOD240-02M1220, WWOD240-02M1266, WWOD240-02M2420, WWOD240-02M2466, WWOD240-03M1220, WWOD240-03M1266, WWOD240-03M2420, WWOD240-03M2466, WWOD240-04M1220, WWOD240-04M1266, WWOD240-04M2420, WWOD240-04M2466, WWOD240-06M1220, WWOD240-06M1266, WWOD240-06M2420, WWOD240-06M2466, WWOD128-01M1220
Trademark	: N/A

An independent evaluation on the above mentioned product(s) has been conducted pursuant to EU 2015/863 with 2011/65/EU of the European Parliament and of the Council on the restriction of the use of certain hazardous substances in electrical and electronic equipment, and concluded that the equipment under evaluation met the legislative requirements of this directive.

Test standard: IEC 62321-4:2014+A1:2017, IEC 62321-5:2014, IEC 62321-7-1:2015, IEC 62321-7-2:2017, IEC 62321-6:2015, IEC 62321-8:2017

RoHS

Authorized Signer: *Kevin Liu*
Kevin Liu / Manager
Jun. 10, 2022

Shenzhen KES Testing & Certification Co., LTD

Room 405, Floor 4th, Building C, Yuesing Technology Industrial Park, Xixiang Street, Bao'an District, Shenzhen, Guangdong, China

☎ 86-755-23001943 📠 86-755-23001943 🌐 <http://www.kes-test.com>

Adres: Rietveldenweg 49D, 5222AP 's Hertogenbosch
 Tel: +3173 704 1100
 E-mail: info@ledkoning.nl
 Website: www.ledkoning.nl