



LedKoning

BUIGBARE LEDSTRIP WARM WIT

60
LEDS P/M



Warm wit






SPECIFICATIES

Dimbaar	Ja
3M plakstrip over gehele lengte	Ja
Garantie	2 jaar
Op maat te knippen	elke 5 cm
Aantal LED's p/m	60
Type LED	2835 SMD
Merk LED	Epistar
Stralingshoek	120 graden
Kleur	Warm wit
Kleurtemperatuur (Kelvin)	3000K
CRI	81.1
Lichtsterkte (lumen) p/m	816.8 lm
Aantal branduren	50.000
Voltage (DC)	24V
Watt - vermogen p/m	8.532W
Bescherming	IP20
Materiaal waterdichte bescherming (IP65/IP67)	-
Achtergrond kleur strip (PCB)	Wit
Plakstrip	IP20: 3M 300LSE
Breedte led strip	IP20: 8mm
Dikte led strip	IP20: 1,2mm
Aansluiting begin	5.5x2.1 DC stekker type vrouw
Aansluiting einde	5.5x2.1 DC stekker type man

TECHNISCHE TEKENINGEN

IP20




IP20





1M WARM WIT BUIGBAAR - 60 LEDS P/M

Spectrum Test Report



Color Parameters:

Chromaticity Coordinate: $x=0.4323$ $y=0.4030$ / $u'=0.2481$ $v'=0.5203$
 CCT=3070K (Duv=0.0002) Dominant WL:Ld =582.5nm Purity=50.7%
 Ratio:R=22.9% G=74.3% B=2.8% Peak WL:Lp=605.9nm FWHM=144.1nm
 Render Index:Ra=85.8 CRI=81.1

R1 =85 R2 =93 R3 =97 R4 =84 R5 =85 R6 =91 R7 =86
 R8 =66 R9 =24 R10=83 R11=83 R12=72 R13=87 R14=99 R15=79

Photo Parameters:

Flux = 816.8 lm Eff. : 95.73 lm/W Fe = 2.597 W

Electrical parameters:

V = 12.000 V I = 0.7110 A P = 8.532 W PF = 1.000
 LEVEL:OUT WHITE:ANSI_3000K

Status: Integral T = 215 ms Ip = 51292 (78%)

Model: S型2835-60-3000K-20-12-8 Number:3000K-1M
 Tester: Date:2020-12-22 20:35:38
 Temperature:Deg Humidity:%
 Manufacturer:RYKER LIGHTING Remarks:---



CE CERTIFICAAT

AN XIN TESTING CERTIFICATION

Certificate of Conformity



Certification No. : ATT20111100456E
Applicant : Ledkoning
Address : Rietveldenweg 49D
 5222AP 's Hertogenbosch, The Netherlands
Manufacturer : Ledkoning
Address : Rietveldenweg 49D
 5222AP 's Hertogenbosch, The Netherlands
Certification : CE-EMC
Product Description : 2835 LED Strip
 27KCC60-10M2420,27KCC60-10M2465,27KCC60-15M2420,27KCC60-15M2465,27KCC60-20M2420,27KCC60-20M2465,
 27KCC60-30M2420,27KCC60-30M2465,27KCC120-10M2420,27KCC120-10M2465,27KCC120-15M2420,27KCC120-15M2465
 30KCC60-10M2420,30KCC60-10M2465,30KCC60-15M2420,30KCC60-15M2465,30KCC60-20M2420,30KCC60-20M2465
Model : 30KCC60-30M2420,30KCC60-30M2465,30KCC120-10M2420,30KCC120-10M2465,30KCC120-15M2420,30KCC120-15M2465
 40KCC60-10M2420,40KCC60-10M2465,40KCC60-15M2420,40KCC60-15M2465,40KCC60-20M2420,40KCC60-20M2465
 40KCC60-30M2420,40KCC60-30M2465,40KCC120-10M2420,40KCC120-10M2465,40KCC120-15M2420,40KCC120-15M2465
 BB27K-05M1220,BB30K-05M1220,BB40K-05M1220,BB65K-05M1220
Trademark : N/A

The above products have been tested by us with listed standards and found in compliance with the Directive 2014/35/EU. It is possible to use CE marking to demonstrate the compliance with this Directive.

Test Standards	EN 55015: 2019 EN 61547: 2019 EN 61000-3-2: 2019 EN 61000-3-3: 2013+A1:2019
----------------	--

The certificate is based on a single evaluation of tested samples of above-mentioned product. It does not imply an assessment of the whole production and does not permit the use of the test laboratory logo.



Authorized Signer:



Shenzhen An-Xin Testing Service Co., Ltd.

Room 402-405, Floor 4th, Building C, Yuxing Technology Industrial Park, Xixiang Street, Bao'an District, Shenzhen, Guangdong, China
 ☎ 86-0755-23009643 📠 86-0755-23009643 🌐 <http://www.anxinlab.com/>

Adres: Rietveldenweg 49D, 5222AP 's Hertogenbosch
 Tel: +3173 704 1100
 E-mail: info@ledkoning.nl
 Website: www.ledkoning.nl